



CST'S ALERT System™

C-2101 OFFICE

Robust, durable design

Staff working in rough environment must have a robust and durable handset. The handset is dust and water-resistant according to IP64 classification



Key Features

- Graphic display with time and date
- Battery level in the display
- Language options
- Mute function
- Keypad
- Preference settings
- Telephone book
- User-friendly menu
- Discrete ringing

CST'S C-2101 OFFICE Handset Specifications



Features

• Robust, durable design

Staff working in rough environment must have a robust and durable handset. The handset is dust and water-resistant according to IP64 classification.

• Graphic display with time and date

The display has 4 lines for text and symbols. Max. 36 characters. Illuminated display with adjustable background light timer.

• Battery level in the display

The display shows an indicator for the battery level. When the battery level is low a warning tone starts to ring.

• Options for language

The handset has 6 menu languages (Swedish, English, German, French and Dutch) and possibility for other language.

• Mute function

During a call the MUTE button can be used to mute the microphone.

• Keypad

The handset has a legible keypad with large buttons and two navigation keys.

• Preference settings

Personalize your handset by choosing your preference settings like key click, ringing volume etc.

• Telephone book

Memory for up to 65 numbers and redial function for the last 20 numbers.

• User-friendly menu

Navigation keys allow easy orientation in the user-friendly menu system. For access to the most common functions there are soft keys that can be personalized.

• Discrete ringing

When discretion is required the handset can be set to discrete ringing.

Technical data

- Size (LxWxH) 152 x 53 x 27 mm
- Weight (incl. battery) 138 g
- Display 118 x 65 pixels LCD, illuminated graphics
- Environmental Operating temp: 0° – 40°
- Speech/Stand by time 16h/150h
- Specifications DECT/GAP

COBS C-2100 program

- C-2101 – OFFICE handset.
- C-2105 – INDUSTRY handset.
- C-2110 – SECURITY handset.

Accessories

- Headsets with microphone on cable or boom.
- Security string.
- Clips.
- Leather case.
- Desktop charger.
- Charging rack.

Features	C-2101	C-2105	C-2110
Customer specified user menus.	X	X	X
Text message on function keys.	-	X	X
Short number on function keys.	-	X	X
Different alarm ring signal.	-	X	X
Messaging from handset.	-	X	X
Selective key lock.	-	X	X
Automatic key lock.	-	X	X
Adjustable delay for alarm/function keys.	-	X	X
Adjustable time for illuminated display.	-	X	X
Headset connector.	-	X	X
Vibrator.	-	X	X
Pre-programmed editable texts available.	-	X	X
Large character for text and messages.*	-	X	X
Hands-free function.	-	X	X
Symbols indicating text messages.*	-	X	X
Acknowledge or deny paging.*	-	X	X
"C" and "OK" as acknowledge keys.*	-	X	X
Alarm button.	-	-	X
Answer button available on headset.*	-	-	X
Text and short numbers on function key.*	-	-	X
Lone worker protection.	-	-	X
Double push on alarm button.	-	-	X
Short number available on "hook" key.	-	-	X
RFP positioning.	-	-	X
IDT positioning.*	-	-	X Option
Pull cord alarm.*	-	-	X Option
Man down alarm.*	-	-	X Option
Non movement alarm.*	-	-	X Option

telephone: 0208 381 1338

facsimile: 0208 381 1152

email: solutions@call-systems.com

www.call-systems.com

Middlesex House,
29-45 High Street,
Edgware, Middlesex,
HA8 7UU

Call-Systems Technology

Wireless Communication Specialists

Hospitality, Healthcare, Retail, Education, Leisure & Industrial



CST'S ALERT System™

C-2105 INDUSTRY

Integrated message function

The C-2105 handset provides full mobility for staff at their daily work. Messages can easily be accessed by pressing the message key.



Key Features

- Robust, durable design
- Graphic display with time and date
- Battery level in the display
- Built in vibrator
- Mute function
- SMS function
- Rotated text in the display
- Telephone book
- User-friendly menu
- Discrete ringing

CST'S C-2105 INDUSTRY Handset Specifications



Features

Integrated message function

The C-2105 handset provides full mobility for staff at their daily work. Messages can easily be accessed by pressing the message key.

Robust, durable design

Staff working in rough environment must have a robust and durable handset. The handset is dust and water resistant according to IP64 classification.

Graphic display with time and date

The display has 4 lines for text and symbols. Max. 36 characters. Illuminated display with adjustable background light timer.

Battery level in the display

The display shows an indicator for the battery level. When the battery level is low a warning tone starts to ring.

Built in vibrator

For noisy environments or when discretion is required.

Telephone book

Memory for up to 65 numbers and redial function for the last 20 numbers.

User-friendly menu

Navigation keys allow easy orientation in the user-friendly menu system. For access to the most common functions there are soft keys that can be personalized.

SMS function

Supported on COBS system.

Rotated text in the display

This function makes it easier for staff to read a message when the handset is attached to a belt clip without loosen the handset from the clip.

Hands free

Allows activating the hands free speech function when needed.

Answer button on headset

This is a feature that allows users to answer with the headset button when the handset rings.

Options for language

The handset has 6 menu languages (Swedish, English, German, French and Dutch) and possibility for other language.

Technical data

- Size (LxWxH) 152 x 53 x 27 mm
- Weight (incl. battery) 138 g
- Display 118 x 65 pixels LCD, illuminated graphics
- Environmental Operating temp: 0° – 40°
- Speech/Stand by time 16h/150h
- Specifications DECT/GAP

COBS C-2100 program

- C-2101 – OFFICE handset.
- C-2105 – INDUSTRY handset.
- C-2110 – SECURITY handset.

Accessories

- Headsets with microphone on cable or boom.
- Security string.
- Clips.
- Leather case.
- Desktop charger.
- Charging rack.

Features	C-2101	C-2105	C-2110
Customer specified user menus.	X	X	X
Text message on function keys.	-	X	X
Short number on function keys.	-	X	X
Different alarm ring signal.	-	X	X
Messaging from handset.	-	X	X
Selective key lock.	-	X	X
Automatic key lock.	-	X	X
Adjustable delay for alarm/function keys.	-	X	X
Adjustable time for illuminated display.	-	X	X
Headset connector.	-	X	X
Vibrator.	-	X	X
Pre-programmed editable texts available.	-	X	X
Large character for text and messages.*	-	X	X
Hands-free function.	-	X	X
Symbols indicating text messages.*	-	X	X
Acknowledge or deny paging.*	-	X	X
"C" and "OK" as acknowledge keys.*	-	X	X
Alarm button.	-	-	X
Answer button available on headset.*	-	-	X
Text and short numbers on function key.*	-	-	X
Lone worker protection.	-	-	X
Double push on alarm button.	-	-	X
Short number available on "hook" key.	-	-	X
RFP positioning.	-	-	X
IDT positioning.*	-	-	X Option
Pull cord alarm.*	-	-	X Option
Man down alarm.*	-	-	X Option
Non movement alarm.*	-	-	X Option

telephone: 0208 381 1338

facsimile: 0208 381 1152

email: solutions@call-systems.com

www.call-systems.com

Middlesex House,
29-45 High Street,
Edgware, Middlesex,
HA8 7UU



CST'S ALERT System™

C-2110 SECURITY

Integrated alarm function

Staff working alone or in environments full of risks need the protection of an integrated alarm function. A large easily accessible red alarm button is placed at the top of the handset.



Key Features

- Robust, durable design
- Graphic display with time and date
- Battery level in the display
- Built in vibrator
- Message function
- Handsfree
- Rotated text in the display
- Telephone book
- User-friendly menu
- Discrete ringing

CST'S C-2110 SECURITY

Handset Specifications



Features

- **Integrated alarm function**

Staff working alone or in environments full of risks need the protection of an integrated alarm function. A large easily accessible red alarm button is placed at the top of the handset.

- **Robust, durable design**

Staff working in rough environment must have a robust and durable handset. The handset is dust and water resistant according to IP64 classification.

- **Graphic display with time and date**

The display has 4 lines for text and symbols. Max. 36 characters. Illuminated display with adjustable background light timer.

- **Rotated text in the display**

This function makes it easier for staff to read a message when the handset is attached to a belt clip without loosening the handset from the clip.

- **Hands free**

Allows to activate the hands free speech function when needed.

- **Answer button on headset**

Allows users to answer with the headset button when handset rings.

- **Options for language**

The handset has 6 menu languages (Swedish, English, German, French and Dutch) and possibility for other language.

- **Built in vibrator**

For noisy environments or when discretion is required.

- **Telephone book**

Memory for up to 65 numbers and redial function for the last 20 numbers.

- **User-friendly menu**

Navigation keys allow easy orientation in the user-friendly menu system. For access to the most common functions there are soft keys that can be personalized.

- **Message Function**

Supported by COBS system.

Accessories

- Headsets with microphone on cable or boom.
- Security string.
- Clips.
- Leather case.
- Desktop charger.
- Charging rack.

Additional Features

Man down alarm

If a person is attacked or falls to the floor for any reason, an emergency man down alarm activates in the COBS ALERT system.

Pull cord alarm

Ideal for protection against theft, personal attack or for use in distress situations.

Personnel locating

Locates staff on demand. Positioning beacons placed according to need and design throughout the facility log the location of the person as they move from place to place.

Technical data

- Size (LxWxH) 152 x 53 x 27 mm
- Weight (incl. battery) 138 g
- Display 118 x 65 pixels LCD, illuminated graphics
- Environmental Operating temp: 0° – 40°
- Speech/Stand by time 16h/150h
- Specifications DECT/GAP

COBS C-2100 program

- C-2101 – OFFICE handset.
- C-2105 – INDUSTRY handset.
- C-2110 – SECURITY handset.

Features

	C-2101	C-2105	C-2110
Customer specified user menus.	X	X	X
Text message on function keys.	-	X	X
Short number on function keys.	-	X	X
Different alarm ring signal.	-	X	X
Messaging from handset.	-	X	X
Selective key lock.	-	X	X
Automatic key lock.	-	X	X
Adjustable delay for alarm/function keys.	-	X	X
Adjustable time for illuminated display.	-	X	X
Headset connector.	-	X	X
Vibrator.	-	X	X
Pre-programmed editable texts available.	-	X	X
Large character for text and messages.*	-	X	X
Hands-free function.	-	X	X
Symbols indicating text messages.*	-	X	X
Acknowledge or deny paging.*	-	X	X
"C" and "OK" as acknowledge keys.*	-	X	X
Alarm button.	-	-	X
Answer button available on headset.*	-	-	X
Text and short numbers on function key.*	-	-	X
Lone worker protection.	-	-	X
Double push on alarm button.	-	-	X
Short number available on "hook" key.	-	-	X
RFP positioning.	-	-	X
IDT positioning.*	-	-	X Option
Pull cord alarm.*	-	-	X Option
Man down alarm.*	-	-	X Option
Non movement alarm.*	-	-	X Option

telephone: 0208 381 1338

facsimile: 0208 381 1152

email: solutions@call-systems.com

www.call-systems.com

Call-Systems Technology

Wireless Communication Specialists

Hospitality, Healthcare, Retail, Education, Leisure & Industrial



CST'S ALERT System™

C-2301 OFFICE

Next Generation & Ease of Navigation

C-2301 is an elegant handset with a long list of features. The large colour display and the intuitive menu structure make the handset a preferred choice in administrative working environments..



Key Features

- Elegant design
- Large colour display
- Phonebook
- Handsfree
- User friendly menu
- Text messaging
- Answer button on handset
- Options of language
- Vibrator

CST'S C-2301 OFFICE Handset Specifications



Features

Elegant design

C-2301 is an elegant handset with a long list of features. The large colour display and the intuitive menu structure make the handset a preferred choice in administrative working environments.

Large colour display

The display has 8 lines for text and icons. The display also has adjustable background light. (TFT 65 000 colours.)

Phonebook

Memory for up to 250 entries (4 numbers per name) and redial function from call list.

Handsfree

Allows activating the hands free speech function when needed.

Answer button on handset

This is a feature that allows users to answer with the headset button when the handset rings.

Options for language

The handset has several menu languages.

Vibrator

For noisy environments or when discretion is required.

User friendly menu

Navigation keys allow easy orientation in the user friendly menu system. For access to the most common functions there are soft keys that can be personalized.

Text messaging

System dependant feature.

Technical data

- Size (LxWxH) 146 x 48 x 19 mm
- Weight (incl. battery) 110 g
- Display: TFT
- Temperature: 0° till 40°
- Speech/Stand by time 20/200 hours
- Specifications DECT/GAP

Accessories

- Headsets with microphone on cable or boom.
- Security string.
- Clips.
- Leather case.
- Desktop charger - 2 types (w/wo USB 2.0 connection)
- Charging rack.

Features

- Li-ion battery
- 40 caller ID presentations (CLIP)
- Date and time in display
- Internal/external ring pattern
- Volume control
- Auto login
- Silent mode
- Alerting on silent mode (choice from display flash, vibrator or a short ring)
- Call list
- Redial function from call list
- 10 different ringer tones
- Speed dial
- Auto answer
- Key lock
- Headset connection
- Ring tone in headset
- R-key for transfer
- Text messaging (system dependant)
- 10 user defined messaging templates (system dependant)
- Store 20 messages (system dependant)

telephone: 0208 381 1338

facsimile: 0208 381 1152

email: solutions@call-systems.com

www.call-systems.com

Middlesex House,
29-45 High Street,
Edgware, Middlesex,
HA8 7UU

Call-Systems Technology

Wireless Communication Specialists

Hospitality, Healthcare, Retail, Education, Leisure & Industrial



CST'S ALERT System™

ATEX

Ultimate handset for environments with special conditions and regulations.

COBS C-4080 holds the same features as C-2110, but is ATEX and IEC approved according to European and international standards. COBS C-4080 is targeted at potentially explosive work environments. Areas of application, but are not restricted to, oil, gas and chemical production as well as dust-filled environments within the wood-processing, ingredients and food industries.

Key Features

- Integrated alarm function
- IP 64 classification
- Graphic display with time and date
- Handsfree
- User friendly menu
- Text messaging
- Answer button on handset
- Options of language
- Built in vibrator



CST'S C-4080 ATEX

Handset Specifications



ATEX approved: II2G II3D T60°C EEx ib IIC T3

IEC approved: Ex ib IIC T3

Features

Integrated alarm function

Staff working alone or in environments full of risks need the protection of an integrated alarm function. A large easily accessible red alarm button is placed on the top of the handset.

IP 64 classification

Staff working in rough environment must have a robust and durable handset. The handset is dust tight and water resistant according to IP64 classification.

Graphic display with time and date

The display has 4 lines for text and symbols. Max. 36 characters. Illuminated display with adjustable background light timer.

Rotated text in the display

This function makes it easier for staff to read a message when the handset is attached to a belt clip without loosen the handset from the clip.

Hands free

Allows to activate the hands free speech function when needed.

Options for language

The handset has 9 menu languages (Swedish, English, German, French, Dutch, Danish, Finish, Italian and Norwegian).

Built in vibrator

For noisy environments or when discretion is required.

Telephone book

Memory for up to 65 numbers and redials function for the last 20 numbers.

User friendly menu

Navigation keys allow easy orientation in the user friendly menu system. For access to the most common functions there are soft keys that can be personalized.

Message function

Supported on COBS system.

Technical data

- Size (LxWxH) 148x 50 x 28 mm
- Weight (incl. battery) 130 g
- Display
118 x 65 pixels LCD, illuminated graphics
- Environmental Operating temp: 0° – 40°
- Speech/Stand by time 16h/150h
- Specifications DECT/GAP

Accessories

- Headsets with microphone on cable or boom.
- Security string.
- Clips.
- Leather case.
- Desktop charger - 2 types (w/wo USB 2.0 connection)
- Charging rack.

Features	C-2101	C-2105	C-2110	C-2115
Customer specified user menus.	X	X	X	X
Acoustic battery warning.	X	X	X	X
Visible Low Battery indicator.	X	X	X	X
Different profiles.	X	X	X	X
Text message on function keys.	-	X	X	X
Short number on function keys.	-	X	X	X
Different alarm ring signal.	-	X	X	X
Messaging from handset.	-	X	X	X
Selective key lock.	-	X	X	X
Automatic key lock	-	X	X	X
Headset connector.	-	X	X	X
Vibrator.	-	X	X	X
Pre-programmed editable texts available.	-	X	X	X
Hands-free function.	-	X	X	X
Acknowledge or deny paging.	-	X	X	X
"C" and "OK" as acknowledge keys.	-	X	X	X
Alarm button.	-	-	X	X
Answer button available on headset.	-	-	X	X
Text and short numbers on function key.	-	-	X	X
Loon worker protection.	-	-	X	X
Double push on alarm button.	-	-	X	X
Short number available on "hook" key.	-	-	X	X
RFP positioning.	-	-	X	X
IDT positioning.	-	-	-	X
Pull cord alarm.	-	-	-	X option
Man down alarm.	-	-	-	X option

telephone: 0208 381 1338

facsimile: 0208 381 1152

email: solutions@call-systems.com

www.call-systems.com

Middlesex House,
29-45 High Street,
Edgware, Middlesex,
HA8 7UU

Call-Systems Technology

Wireless Communication Specialists

Hospitality, Healthcare, Retail, Education, Leisure & Industrial



COBS ALERT System™

C-2115 Positioning

Designed for organisations with personnel exposed to a potential risk of being assaulted.

The location of the personnel requesting help is determined by Positioning Beacons and forwarded to the alarm receiver.

Key Features

- Integrated alarm function
- Positioning
- Graphic display with time and date
- Handsfree
- Message function
- Pull cord alarm
- Answer button on handset
- Options of language
- Man down alarm

